



BAD BOY MOWERS

MOW WITH AN *Attitude*





BAD BOY

— MOWERS —


MOW WITH AN *Attitude*



Born and bred in the heart of the Ozark Mountains in Batesville, Arkansas, Bad Boy Mower's reputation is built on delivering a better zero-turn mower for a better value. We've built reliability, power and durability into every mower made from the very beginning.

Our mowers are known for being easy to operate, easy to maintain and engineered to last across generations. For more than 20 years, we've shaped and redefined the zero-turn mower market for both mowing pros and homeowners, and we're really just getting started.

PROFESSIONAL SERIES



Every Bad Boy Mower from the very beginning, has been built from heavy gauge, all-American steel, fabricated and welded to last a lifetime. While our strength has become legendary to professionals and demanding homeowners alike, we've also led the industry with innovation after innovation, patent after patent, and up and down our mower line you'll find the perfect combination of standard features and engine options—all for an incredible price-for-performance value.

NOBODY BUILDS IN MORE ALL-AROUND INNOVATION, TOUGHNESS AND PERFORMANCE

SURE GRIP DECK STEP

SLOPED 1/4" OR 3-GAUGE DECK WITH REINFORCED 3/8" SIDES

THICK NO-SLIP FLOOR MAT WITH LIFT-UP DECK PLATE

POWERFUL HYDRO-GEAR® DRIVES

CAST I-BEAM FRONT RAILS

PATENTED INDEPENDENT FRONT SUSPENSION

PREMIUM COMFORT SEATS

HIGHEST PERFORMANCE ENGINE OPTIONS

NO FLAT FRONT TIRES

DECK-DIAL™ DECK HEIGHT ADJUSTMENT

CONTROL PANEL WITH ELECTRIC PTO

DUAL FEED FUEL TANKS



Our Renegade and Rogue professional mowers feature our patented, and exclusive, 3-Link rear trailing arm suspension systems. When paired with the patented independent front suspension, Bad Boy Mowers are the smoothest ride around.



All our commercial-grade zero-turn mowers come with premium seats, and many feature adjustable suspension seats for all-day, every-day mowing comfort. Dial in a perfect fit and rest comfortably knowing you're in command of the baddest mowers in the business.



Featuring a sloped nose 3 gauge 1/4" fabricated deck with 1/2" leading edge and 3/8" side reinforcements, our decks withstand years of grueling day-in and day-out mowing. They're the heaviest-built decks of any commercial mower in the industry.



With our pedal assisted Deck-Dial™ deck lift system, dialing in the perfect cutting height is as easy as pressing the deck pedal, dialing in your desired height and taking off for a consistent and even cut time after time. It sets the standard for all other mowers.

PROFESSIONAL SERIES

RENEGADE

GAS OR DIESEL



**PERKINS DIESEL
AVAILABLE**

POWERED BY REHLKO GASOLINE OR PERKINS DIESEL ENGINES

AVAILABLE DECK SIZES: 61" AND 72"

DUAL PUMP BELT SYSTEM WITH TENSIONER DESIGN

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

SLOPED 1/4" OR 3-GAUGE DECK WITH REINFORCED 3/8" SIDES

CAST I-BEAM RAILS

PATENTED 3-LINK REAR TRAILING ARM SUSPENSION

PATENTED INDEPENDENT FRONT SUSPENSION

PATENTED DUAL DECK SUPPORT ISOLATORS

PREMIUM ADJUSTABLE SUSPENSION SEAT

KEY FOB START AND DIGITAL DIAGNOSTICS PANEL

BUILT-IN STRIPING KIT

NO FLAT FRONT TIRES

ADJUSTABLE HANDLES





Featuring a sloped nose 3 gauge or 1/4" fabricated deck with 1/2" leading edge and 3/8" side reinforcements.



Patented 3-Link Suspension and suspension seat combine to deliver the smoothest ride of any mower model.



Built for the long haul, it's heavy gauge, all-steel, all-welded and fabricated 1.5" x 3" frame rail provides the backbone for years of durable service.



PROFESSIONAL SERIES

ROGUE



POWERED BY KAWASAKI, REHLKO AND VANGUARD

AVAILABLE DECK SIZES: 54", 61" OR 72"

PATENTED 3-LINK REAR TRAILING ARM SUSPENSION

HEAVY-DUTY CAST I-BEAM RAILS

PATENTED INDEPENDENT FRONT SUSPENSION

SLOPED 1/4" OR 3-GAUGE DECK WITH REINFORCED 3/8" SIDES

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

PATENTED DUAL DECK SUPPORT ISOLATORS

PEER, MAINTENANCE-FREE SPINDLES

BUILT-IN STRIPING KIT

NO FLAT FRONT TIRES

ADJUSTABLE HANDLES

PREMIUM SUSPENSION SEAT



Our patented EZ-Ride 3-link trailing suspension is the first and only of its kind to provide a smoother ride and increase traction.



Comes fully equipped with our adjustable suspension seat, built-in striping kit, no flat front tires, speed tracking, and adjustable handles.



From the lift-up floorboard for cleaning and maintenance, to the premium high-traction rubber floor mat, you're firmly in control.



PROFESSIONAL SERIES

REBEL X



POWERED BY VANGUARD AND KAWASAKI ENGINES

AVAILABLE DECK SIZES: 61" OR 72"

DUAL HYDRO-GEAR® 5400 SERIES HIGH-PERFORMANCE INTEGRATED DRIVE SYSTEMS

SLOPED 1/4" OR 3-GAUGE DECK WITH REINFORCED 3/8" SIDES

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

PATENTED DUAL DECK SUPPORT ISOLATORS

PEER, MAINTENANCE-FREE SPINDLES

MICHELIN® X® TWEEL® TURF TIRES

NO FLAT FRONT TIRES

BUILT-IN STRIPING KIT

ADJUSTABLE HANDLES

PREMIUM SUSPENSION SEAT



Powered by a Vanguard or Kawasaki engine and driven by dual heavy-duty 5400 Hydro-Gear® 16cc integrated transaxles.



Featuring the Michelin® X® Tweel® rear tires and No Flat front tires, you'll never worry about flat tires again.



You'll get our adjustable suspension seat, No Flat tires, built-in striping kit, speed tracking, and adjustable handles built right in.



PROFESSIONAL SERIES

REBEL



POWERED BY KAWASAKI ENGINES

AVAILABLE DECK SIZES: 54", 61" OR 72"

DUAL HYDRO-GEAR® 4400 SERIES HIGH-PERFORMANCE INTEGRATED DRIVE SYSTEMS

HEAVY-DUTY CAST MAINTENANCE-FREE SPINDLES

NO FLAT FRONT TIRES

PATENTED DUAL DECK SUPPORT ISOLATORS

SLOPED 1/4" OR 3-GAUGE DECK WITH REINFORCED 3/8" SIDES

ELECTRIC PTO

BUILT-IN STRIPING KIT

ADJUSTABLE HANDLES

PREMIUM SUSPENSION SEAT



The floorboard lifts up for easy access to maintain and clean the deck and pulley systems. No slip rubber deck keeps your feet firmly in place.



You'll get our adjustable suspension seat, No Flat front tires, built-in striping kit, speed tracking, and adjustable handles at no additional cost.



With a choice of four powerful Kawasaki engine options and three deck sizes to choose from, you can always find the right Rebel for you.



PROFESSIONAL SERIES

REBEL 50

NEW FOR
2026



POWERED BY REHLKO ENGINES

AVAILABLE DECK SIZES: 54" AND 61"

DUAL HYDRO-GEAR® 4400 SERIES HIGH-PERFORMANCE INTEGRATED DRIVE SYSTEMS

HEAVY-DUTY CAST MAINTENANCE-FREE SPINDLES

PATENTED DUAL DECK SUPPORT ISOLATORS

SLOPED 1/4" OR 3-GAUGE DECK WITH REINFORCED 3/8" SIDES

ELECTRIC PTO

BUILT-IN STRIPING KIT

ADJUSTABLE HANDLES

HIGH BACK ADJUSTABLE SEAT



Dual Hydro-Gear ZT-4400 Integrated High-Efficiency Drive Systems are commercial-rated for performance and durability.



Features our high back adjustable seat for maximum comfort and adjustable handles for a perfect operator fit.



Standard with rear Reaper® tires and all-terrain grip, you'll have better control and hillside stability—along with a better, smoother ride.



PROFESSIONAL SERIES

MAVERICK HD



POWERED BY KAWASAKI AND VANGUARD ENGINES

AVAILABLE DECK SIZES: 42", 48", 54" AND 60"

DUAL HYDRO-GEAR® 3400 SERIES COMMERCIAL-GRADE INTEGRATED DRIVE SYSTEMS

3/16" OR 7-GAUGE ALL STEEL, FORMED AND WELDED DECK WITH REINFORCED EDGES

PATENTED EZ-RIDE® SYSTEM

I-BEAM FRONT RAILS

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

PEER, MAINTENANCE-FREE SPINDLES

PREMIUM ADJUSTABLE SUSPENSION SEAT

DECK LIFT PEDAL WITH DECK DIAL ADJUSTMENT

NO FLAT FRONT TIRES

STRIPING KIT

ADJUSTABLE STEERING ARMS



Powered by commercial-rated Dual Hydro-Gear ZT-3400 Integrated High-Efficiency Drive Systems, the Maverick HD is primed for mowing pros just like you.



Our premium adjustable suspension seat, EZ-Ride® System and No Flat front tires come standard, so you can mow long hours in maximum comfort.




Choose from a wide range of deck options that fit your needs. You can go big with a 60" deck or fit through any gate with the 42" model.



PROFESSIONAL SERIES

REVOLT X



POWERED BY KAWASAKI AND VANGUARD ENGINES

AVAILABLE DECK SIZES: 54", 61" AND 72"

3/16" OR 7-GAUGE ALL STEEL, FORMED AND WELDED SLOPED DECK WITH REINFORCED EDGES

MICHELIN® X® TWEEL® TURF TIRES

3/8" STEEL FRONT FORKS AND 3 1/2" TRAIL FOR SMOOTH DIRECTIONAL CHANGE

IMPROVED VARIABLE DECK LIFT ADJUSTMENT

REMOVABLE QUICK ACCESS PANEL FOR MAINTAINING CONTROL ARMS AND HYDRO-TANKS

UPGRADED OPERATOR PAD AND FENDER SUPPORT STEPS

UPGRADED ZERO GRAVITY BATTERY

UPGRADED R-SERIES STYLE BRAKE

CURVED I-BEAM FRONT RAIL

DUAL HYDRO-GEAR INDEPENDENT PUMPS AND WHEEL MOTORS

PEER, MAINTENANCE-FREE SPINDLES

THREE-POSITION SPEED CONTROL

ELECTRIC PTO

NO FLAT FRONT TIRES

STRIPING KIT



Shorter frame and curved I-Beam front rail gives you a lower center of gravity for maximum maneuverability and visibility. Includes upgraded operator pad and fender mounted support steps.



Michelin® X® Tweel® Turf Tires give you the edge you need to get the job done.




A pro mower's dream, the Revolt X handles virtually any terrain while providing a mow-anywhere, cleaner cut.



PROFESSIONAL SERIES

REVOLT



POWERED BY KAWASAKI AND VANGUARD ENGINES

AVAILABLE DECK SIZES: 36", 48", 54" AND 61"

SLOPED NOSE 3/16" OR 7-GAUGE ALL STEEL, FORMED AND WELDED DECK WITH REINFORCED EDGES

CURVED I-BEAM FRONT RAILS

QUICK ACCESS PANEL FOR DRIVE AND BELT MAINTENANCE

DUAL 3400 HYDRO-GEAR INTEGRATED DRIVE SYSTEMS

3/8" STEEL FRONT FORKS AND 3 1/2" TRAIL FOR SMOOTH DIRECTIONAL CHANGE

IMPROVED VARIABLE DECK LIFT ADJUSTMENT

ADJUSTABLE RUBBER SUSPENSION RIDING PLATFORM

NO FLAT FRONT TIRES

THREE-POSITION SPEED CONTROL



Shorter frame and curved I-Beam rails gives a lower center of gravity for maximum maneuverability and visibility.



Operate from a place of comfort. Our adjustable rubber suspension platform provides a comfortable ride and the ergonomic thigh pad supports for less fatigue on longer jobs.



Pull the pin, drop or raise the deck, and select the perfect cut height for a dependable, even mow—every time.



PROFESSIONAL SERIES

REVOLT 50



POWERED BY KAWASAKI AND REHLKO ENGINES

AVAILABLE DECK SIZES: 34" AND 42"

3/16" OR 7-GAUGE ALL STEEL, FORMED AND WELDED DECK WITH REINFORCED EDGES

QUICK ACCESS PANEL FOR DRIVE AND BELT MAINTENANCE

DUAL 2800 HYDRO-GEAR INTEGRATED DRIVE SYSTEMS

3/8" STEEL FRONT FORKS AND 3 1/2" TRAIL FOR SMOOTH DIRECTIONAL CHANGE

IMPROVED VARIABLE DECK LIFT ADJUSTMENT

ADJUSTABLE RUBBER SUSPENSION RIDING PLATFORM

THREE-POSITION SPEED CONTROL

ERGONOMIC THIGH PAD



Modified to make the perfect stand-on mower for homeowners too. It's a better value for smaller properties with Bad Boy quality.



The Revolt SD is available in 34" and 42" deck sizes that fit through a gate with no problems. It's perfect for tight fits and a cleaner cut.



The full suspension operator platform gives you a smoother ride with less fatigue and maximum comfort.



PROFESSIONAL SERIES

RAIDER



POWERED BY KAWASAKI ENGINES

AVAILABLE DECK SIZES: 36", 48" AND 54"

ELECTRIC START

DUAL 3100 HYDRO-GEAR INTEGRATED DRIVE SYSTEMS

TRANSAXLES PROTECTED BY SKID PLATES

FOOT-OPERATED DECK LIFT SYSTEM

BRAKE, ENGAGE, ELECTRIC PTO AND CONTROL LEVERS ON CONTROL BAR

UNIQUE CENTRAL LOCK, LOCKING BOTH TRANSMISSIONS FOR STRAIGHT CUTS

OPTIONAL PATENTED SULKY FEATURES EZ-RIDE™



The Control Bar has everything you need in one convenient place. Easily operate the brake, engine, electric PTO, and control levers.




Our central lock is a one-of-a-kind feature that locks both transmissions in a single action for ensuring a straight cut.



Step on the deck lift pedal, pull the pin and raise or lower the deck to the perfect height. Insert the pin and you're set to mow.



PROFESSIONAL SERIES PUSH MOWER



POWERED BY KAWASAKI ENGINES

AVAILABLE DECK SIZES: 21" AND 25"

PATENTED, PROPRIETARY TWO-SPEED HEAVY-DUTY TRANSMISSION

BLADE SPINDLE WITH FORGED SPINDLE SHAFT

PROFESSIONAL-CLASS ENGINE

DENSE RUBBER WHEELS

HEAVY-DUTY, ALL-STEEL 14-GAUGE DECK WITH REINFORCED EDGES



Commercial grade for a reason. Built to withstand grueling day-in and day-out use with a heavy-duty, all-steel 14-gauge deck.




The deck slopes upward into the discharge, creating more lift and allowing for a sharp cut as clippings are forced into the bagging system.



The self-propelled drive system, with its high-low gears and rear wheel engagement, pulls its weight around effortlessly.



RESIDENTIAL SERIES



Cut from the same steel, welded by the same robots and craftsmen, and assembled side-by-side down our assembly lines, our residential mowers share the same build-quality DNA as our commercial-grade mowers. We don't stamp flimsy sheets of steel or cut corners that ultimately determine mower durability and performance. We've even taken the lead in raising the comfort quality by adapting our patented EZ-Ride™ system to several models and offering premium comfort seats.

NOBODY BUILDS IN MORE ALL-AROUND INNOVATION, TOUGHNESS AND PERFORMANCE

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

SLOPED 3/16" OR 7-GAUGE ALL STEEL, FORMED, AND WELDED DECK WITH REINFORCED EDGES

ADJUSTABLE STEERING ARMS

THICK, NO-SLIP FLOOR MAT WITH FLIP-UP FLOORBOARD

PREMIUM COMFORT SEATS

INDUSTRY-LEADING 3/8" STEEL FRONT FORKS

WIDE RANGE OF DECK CUTTING WIDTH SIZES

DECK-DIAL™ DECK HEIGHT ADJUSTMENT

CONTROL PANEL WITH ELECTRIC PTO

DEPENDABLE DUAL INTEGRATED HYDRO-GEAR® DRIVES

HIGHEST PERFORMANCE ENGINE OPTIONS



All of our zero-turn mowers feature our unique Deck-Dial™ system. Simply push down on the deck pedal—adjustable and movable to your right or left—and dial in the perfect mowing height every time. It sets the standard for all other mowers with a flick of the wrist.



Our legendary heavy-gauge, all-steel, formed and welded decks are the toughest in the industry. Featuring heavy-duty cast maintenance-free spindles and reinforced welded steel plates along the edges, our decks are built to last a lifetime.



Sure traction Reaper™ rear tires come standard with our residential mowers. These premium all-terrain tires provide great grip on wet locations or sloped areas. The softer sidewalls allow for the tires to act as shock absorbers by flexing on uneven territory.



Many of our models feature our exclusive and patented EZ-Ride™ System with independent front suspension. Utilizing compression shocks and paired with our premium comfort seats, you're all set for smooth mowing, whether it's every day or every weekend.

RESIDENTIAL SERIES

MAVERICK



POWERED BY KAWASAKI AND REHLKO ENGINES

AVAILABLE DECK SIZES: 48" 54", AND 60"

PATENTED EZ-RIDE® SYSTEM

INDUSTRY-LEADING 3/8" STEEL FRONT FORKS

SLOPED 1/4" OR 7-GAUGE DECK WITH REINFORCED 3/8" SIDES

DUAL HYDRO-GEAR 3200 SERIES INTEGRATED DRIVE SYSTEMS

PATENTED INDEPENDENT FRONT SUSPENSION

I-BEAM FRONT RAILS

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

PEER, MAINTENANCE-FREE SPINDLES

SEAT LIFTS FOR EASY MAINTENANCE AND CLEANING

ADJUSTABLE STEERING ARMS

ELECTRIC PTO

COMFORT SEAT WITH ARM RESTS AND SEAT ISOLATION KITS



The first zero-turn mower ever to feature our patented EZ-Ride® Rear Suspension paired with an integrated drive system.



Unlike any mower in its class. It's built and outfitted commercial-grade tough, with popular power options and superior comfort.



The control panel has everything right at your fingertips. The adjustable foot pedal and twistable Deck-Dial™ knob sets your cutting height.



RESIDENTIAL SERIES

ZT ELITE



POWERED BY KAWASAKI AND REHLKO

AVAILABLE DECK SIZES: 48", 54" AND 60"

PATENTED INDEPENDENT FRONT SUSPENSION

ALL NEW SLOPED 3/16" OR 7-GAUGE ALL STEEL, FORMED, AND WELDED DECK WITH REINFORCED EDGES

DUAL HYDRO-GEAR 3100 SERIES INTEGRATED DRIVE SYSTEMS

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

INDUSTRY-LEADING 3/8" STEEL FRONT FORKS

PEER, MAINTENANCE-FREE SPINDLES

REAR REAPER TIRES

DECK LIFT PEDAL WITH DECK DIAL ADJUSTMENT

SEAT LIFTS FOR EASY MAINTENANCE AND CLEANING

ELECTRIC PTO

COMFORT SEAT WITH ARM RESTS AND SEAT ISOLATION KITS



7-gauge steel with reinforced edges, the unique baffling system maximizes airflow for greater grass lift and a cleaner cut.



The perfect price-for-performance zero-turn. Built tough as they come, more comfortable than ever, even more improvements and still a great value.



Powerful and reliable engine options are up to the task to perform year after year, season after season.



RESIDENTIAL SERIES

ZT AVENGER



POWERED BY KAWASAKI AND REHLKO ENGINES

AVAILABLE DECK SIZES: 54" AND 60"

STANDARD LED TANK LIGHTS

ALL NEW SLOPED 3/16" OR 7-GAUGE ALL STEEL, FORMED, AND WELDED DECK WITH REINFORCED EDGES

DUAL HYDRO-GEAR 2800 SERIES INTEGRATED DRIVE SYSTEMS

INDUSTRY-LEADING 3/8" STEEL FRONT FORKS

CAST MAINTENANCE-FREE SPINDLES

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

COMFORT SEAT

DECK LIFT PEDAL WITH DECK DIAL ADJUSTMENT

SEAT LIFTS FOR EASY MAINTENANCE AND CLEANING

ELECTRIC PTO



Sports the same quality and durability of every Bad Boy Mower before it, with all the power and performance you'd expect. Features LED lights and Deck-Dial.™



We're known for building the sturdiest decks in the industry. Step on the all-new sloped deck of the ZT Avenger and compare it to other mowers in this price range.



Easy access is provided front to back. The floorboard and seat lifts up to expose most serviceable components to make cleaning and maintenance even more convenient.



RESIDENTIAL SERIES

MZ MAGNUM



POWERED BY KAWASAKI AND REHLKO ENGINES

AVAILABLE DECK SIZES: 48", 54" AND 60"

ALL NEW SLOPED 3/16" OR 7-GAUGE ALL STEEL, FORMED AND WELDED DECK WITH REINFORCED EDGES

SEAT LIFTS FOR EASY MAINTENANCE AND CLEANING

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

DUAL HYDRO-GEAR ZT 2200 SERIES INTEGRATED DRIVE SYSTEMS

INDUSTRY-LEADING 3/8" STEEL FRONT FORKS

PEER, MAINTENANCE-FREE SPINDLES

DECK LIFT PEDAL WITH DECK DIAL ADJUSTMENT

ELECTRIC PTO

COMFORT SEAT



Most mowers in this price range are stamped from flimsy steel and bolted together. Ours are all-steel and welded like all of our mowers.



New Reaper tires, gas tanks, seat, sloped deck and steering arms are just a few of the changes on the all new MZ Magnum.



Don't let the price fool you. We never cut back on comfort. The cushioned seat adjusts front to back.



RESIDENTIAL SERIES

MZ RAMBLER



POWERED BY BRIGGS, KAWASAKI AND REHLKO ENGINES

DECK SIZE: 42"

DUAL HYDRO-GEAR ZT 2200 SERIES INTEGRATED DRIVE SYSTEMS

ALL NEW SLOPED 3/16" OR 7-GAUGE ALL STEEL, FORMED AND WELDED DECK WITH REINFORCED EDGES

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

INDUSTRY-LEADING 5/16" STEEL FRONT FORKS

PEER, MAINTENANCE-FREE SPINDLES

DECK LIFT PEDAL WITH DECK DIAL ADJUSTMENT

SEAT LIFTS FOR EASY MAINTENANCE AND CLEANING

ELECTRIC PTO

COMFORT SEAT



Bad Boy's legendary all-new sloped 3/16" or 7-gauge all steel, formed and welded deck with reinforced edges won't bend or wobble.




Upgraded gas tanks, and a no-slip rubber floor mat, plus the all-new sloped 42" all-steel, all-welded deck gives you optimal maneuverability.



Choose which side you want for your deck lift pedal to easily dial in a deck height for a perfect cut time and time again.



RESIDENTIAL SERIES



POWERED BY BAD BOY 80V BATTERIES

42" DECK SIZE

PATENT PENDING INDEPENDENT FRONT SUSPENSION

POWERFUL 80V BATTERIES

INDUSTRY-LEADING FABRICATED DECK

ON-BOARD CHARGING

DIGITAL DISPLAY

BUILT-IN LED LIGHTS

QUIET ELECTRIC MOTORS

E-SERIES UNIVERSAL BATTERY SYSTEM



We're reinventing our industry-leading mowers and charging ahead for the growing electric-powered lawncare market.



The E-Magnum is the most advanced electric mower and features the only fabricated deck in the category.



The batteries used for our E-Magnum work across our entire E-Series lineup of electric hand tools for high-voltage performance.



OPTIONS AND ACCESSORIES



GEAR UP AND GET MOWING

We offer a full range of options and accessories for safety, functionality, performance, comfort, entertainment and just plain good looks. Roll any of these extras in the purchase of your mower and they'll be included for a low monthly price in your financing. It's a great way to get a badder Bad Boy for an even better value.



ACCESSORIES SHOWN

- HARD TOP COVER
- ROPS SPEAKER
- STRING TRIMMER MOUNT
- ADVANCED CHUTE SYSTEM
- BUCKET AND TONGS

ACCESSORIES SHOWN

- HANDLE ASSIST
- REAR BASKET
- ADVANCED CHUTE SYSTEM
- BUCKET AND TONGS




KEEP YOUR BAD BOY FACTORY FRESH WITH AUTHENTIC MANUFACTURER'S REPLACEMENT PARTS AND FLUIDS.

These are the same belts, fluids and blades your Bad Boy Mower left our factory with. Continuing to service your mower with these high-performance replacements will always keep your mower running and cutting like new—season after season!



PUMP AND DRIVE BELTS

Factory replacement reinforced Kevlar® belts last longer and stand up to the toughest mowing conditions.



HYDROSTATIC OIL

Synthetic blend hydrostatic oil is blended specifically to keep you running cooler and at optimum performance.



ENGINE OIL

Premium synthetic oil is made to ensure longer engine life.

ETHANOL GUARD

Fuel stabilizer keeps fuel cleaner longer. Pour directly into fuel tank to extend fuel storage life, prevent corrosion, gum formation and remove water.



HI-LIFT BLADES

These authentic Bad Boy replacement blades stay sharp for longer performance.



FRONT MOUNT BASKET



Handy steel basket with elastic hold down.

MOWER COVER



One size fits all, ROPs and Non-ROPs models.

REAR BASKETS



All steel. Not available for Renegades or Stand-ons.

BELT TENSION GUIDE

Properly calibrated for measuring perfect belt operation. A must have tool for the do-it-yourself mower maintenance owners.



FRONT MOUNT TOOLBOX



Front built-in 2x2 receiver hitch tool box.

ROPS STRING TRIMMER MOUNT



Take your trimmer when you're on the mow.

BUCKET AND TONGS



Attaches to front receiver hitch.

ROPS MOUNTED HARD TOP COVER

Tough polycarbonate construction mounts securely to ROPs equipped mowers.

ADVANCED CHUTE SYSTEM



THE VARIABLE STAGE, ALL-STEEL SHIELD, EFFECTIVELY AND ACCURATELY CONTROLS THE DISCHARGE FROM YOUR ZERO-TURN MOWER.

Prevents discharge into flower beds, driveways and swimming pools. Built for commercial lawn pros and homeowners, the Advanced Chute System also turns your mower into a powerful mulching machine, perfect for fall leaf cleanup!



MOUNTED ASSIST HANDLE



Attaches to front frame. Fits all models.

ASSIST HANDLE WITH STEP



Mounts on front receiver hitch. Anti-slip step.

RECEIVER HITCH ASSIST HANDLE



Mounts on any front 2x2 receiver hitch.

ROPS MOUNT LIGHT BAR



12,000 Lumen, low amperage in cast aluminum.

R-SERIES TANK LED LIGHT KIT



Fully assembled on metal plates for easy install.

FRONT MOUNT LED LIGHT KITS



For mounting on any mower model. Complete kit.


MULCHING KIT

Wavy mulching blades are included with the kit.



MULCHING BLADES

Replaces your standard cutting blades.



STEERING ARM PADS

Provide additional support for arms



CUSTOM RIMS



Machined from high-grade aluminum.

MICHELIN® TWEELS REAR TIRES



Never worry about flat tires again.

FRONT CASTER BRAKES



Locks front casters for straight runs when striping.

MICHELIN® TWEELS FRONT TIRES



Front tire tread technology.


REAPER® TURF TIRES



Wrap-over grip edge for greater traction.

NO FLAT FRONT TIRES

Solid form front tires continue to perform even if punctured.



REAR DECK MOUNT STRIPING KIT

Mounts to back edge of the deck and adjusts with deck height.

REAR FRAME STRIPING KIT



Lay down baseball field precision stripes with our kits.

ROPS MOUNTED HAZARD LIGHT

Warning light for high traffic and busy areas.






PATENTED SULKY FOR WALK-BEHINDS

Featuring EZ-Ride® technology. Built for our Raider, it also works for other Walk-Behind brands.



MOWER LIFT

For lifting MZ and ZT Class mowers for under deck maintenance and cleaning. Not for Commercial Class mowers!



ROLL-OVER PROTECTION SYSTEM (ROPS)

Optional for ZT and MZ Class mowers, and recommended for mowing on sloping terrain.



ADJUSTABLE STEERING HANDLES


Bolt on your steering levers for adjustable operator fit.



TOW HITCH OPTIONS



Tow options available for all sit-on mowers.



SNOW PLOW

Powered plow attaches to front hitch and is operated by fingertip control.

POWERED BAGGER



Mower-assisted blower and large capacity bags.



ACCELERATOR GRASS CATCHER

Easy to install, replaces chute.

TRAILER SPRAYER

High-capacity powered sprayer with hand-held wand. Boom sold separately.



PULL-BEHIND ROLLER.

Fill with water for proper working weight.

FRONT MOUNT SPRAYER



Fits in mower's front receiver hitch.

AERATOR



Sharp blades punch holes to aerate lawn.

SPREADER



Seed or feed with ease.

SWEEPER



Easy to operate and dump.

STEEL DUMP TRAILER



Heavy-duty steel construction.

DE-THATCHER



Springed steel tines comb clippings from turf.

TRACTOR SERIES

BAD BOY TRACTORS

Our Bad Boy Tractors live up to the legacy we've created with our mowers. Each model features a commanding engine with the power you've come to know from our products. We've built a strong frame for handling impressive lifting capacities. From 22hp to our powerful 50 Series both open station and cab configurations.

50 SERIES

5055: 55 HORSEPOWER, **5045:** 48 HORSEPOWER

2,700 LBS. LOADER LIFT CAPACITY AT PINS

HYDRO MAX OR SHUTTLE SHIFT TRANSMISSION OPTION

OPTIONAL CLIMATE-CONTROLLED CAB

POWER STEERING

EASY TO ADJUST PIN STYLE STABILIZER

40 SERIES

4035: 35 HORSEPOWER, **4025:** 25 HORSEPOWER

2,200 LBS. LOADER LIFT CAPACITY AT PINS

METAL HOOD AND FENDERS (OPEN STATION)

CAST IRON AXLES

FACTORY CAB WITH HEAT AND AIR AVAILABLE ON 4035

30 SERIES

3026: 25 HORSEPOWER

1,314 LBS. LOADER LIFT CAPACITY AT PINS

HYDRO MAX TRANSMISSION

DUAL HST PEDALS

CAST IRON AXLES



10 SERIES

1025: 25 HORSEPOWER, **1022:** 22 HORSEPOWER

992 LBS. AND 617 LBS. LOADER LIFT CAPACITY AT PINS

HYDRO MAX TRANSMISSION

DUAL HST PEDALS (1025)

2 RANGE TRANSMISSION



We've added a powerful one-two punch with our larger, new 50 Series Models. Available in hydrostatic or shuttle shift, open station or cab.



From backhoes to mid-mount mower decks, our tractor options are as versatile and capable as our mowers.



Our tractors, in every size, can pull their weight with the best of them. We offer a complete line of implements that pair perfectly with every model.



50 Series Cab Model features leather heated seat and premium Alpine radio system.



TRACTOR IMPLEMENTS

BAD BOY

— IMPLEMENTS —

Put your tractor to work with Bad Boy's 3-point hitch and front loader quick-attach implements. Built from heavy-gauge, welded and fabricated steel, they'll pull more than their weight on your property.



IMPLEMENTS

ROTARY CUTTERS

FINISH MOWERS

BOX BLADES

LAND GRADERS

ROTARY TILLERS

DISC HARROWS

HAY FORKS

3PT AND PULL-BEHIND SPREADERS

PALLET FORKS

3PT TRAILER MOVER

GRADER BLADES

LANDSCAPE RAKES

BRUSH GRAPPLES

SNOW PUSHERS



With our quick-release front bucket, it's easy to make the switch from powered grapples to hay spears or pallet forks.




From disc harrows to box blades, land graders or our PTO powered rotary tillers, we've laid the groundwork for getting your ground work done.



Cutters cut from our same legendary all-steel, formed and welded mower decks and available from a 4' to our new Flex-Wing 12'.



Our powered grapples, available in 48" and 70" widths, are strong enough to take a bite out of any job on your farm or property.



INTRODUCING

BAD BOY

LIGHT CONSTRUCTION


RECON

NEW! COMPACT IN SIZE BUT
LOADED WITH POWER, THIS
MACHINE GIVES YOU THE MUSCLE
TO LIFT, DIG, HAUL, AND MANEUVER
WHERE LARGER EQUIPMENT CAN'T.



TERRAIN

NEW! THE NEXT GENERATION
IN SMALL ARTICULATING
LOADERS! WITH A FIXED
CHASSIS, THE ENGINE
AND PUMPS STAY IN-
LINE WITH ATTACHMENTS
WHILE THE REAR PIVOT
AXLE PROVIDES MAXIMUM
MANEUVERABILITY.



ALL NEW PRODUCT CATEGORY

NEW PRODUCT

RECON



POWERED BY KUBOTA DIESEL 25HP ENGINE

RUGGED COMPACT BUILD WITH 43" MACHINE WIDTH

TWO HEAVY-DUTY WHEEL DRIVE MOTORS

SMOOTH & EFFICIENT HYDRAULICS. 12 GPM HYDRAULIC FLOW SUPPORTS A RANGE OF ATTACHMENTS

WIDE RANGE OF ATTACHMENTS FOR ANY KIND OF WORK

ALL-TERRAIN, EXTRA-WIDE TRACK SYSTEM. ENHANCED TRACTION AND STABILITY FOR ANY SURFACE

HIGH PERFORMANCE HYDRAULICS FEATURES TANDEM PUMP WITH FLEX FLOW

HIGH OPERATING CAPACITY OF 748 LBS. (UP TO 824 LBS. WITH COUNTERWEIGHT)

81.8" LIFTING HEIGHT MAKES LOADING TRUCKS AND TRAILERS EASIER

ERGONOMICALLY DESIGNED SIDE SUPPORTS FOR OPERATOR COMFORT



All controls are in easy reach: auxiliary hydraulics button, low-speed mode switch and front loader control. Additional option: electronic attach locking control.



Best-in-class lift height and capacity with powerful 25HP Kubota Diesel Engine.



Compact size makes for getting around worksites easy with great line-of-sight visibility.



ATTACHMENTS INCLUDE:
Pallet Forks, Buckets,
Grapples, Wood Grapples

NEW PRODUCT

TERRAIN



POWERED BY VANGUARD GASOLINE 40HP ENGINE

MAXIMUM OPERATOR VISIBILITY—POSITIONED BETWEEN LOADER AND BUCKET

ENGINE & PUMPS REMAIN IN-LINE WITH BUCKET WHEN ARTICULATED

ARTICULATED STEERING VIRTUALLY ELIMINATES TURF DAMAGE

LONG WHEELBASE PRODUCES SMOOTHER RIDE WITH INCREASED STABILITY

SAFETY DESIGNED TO SEE ALL AROUND MACHINE WITH BETTER VISIBILITY

UNIVERSAL QUICK ATTACH SYSTEM

PREMIUM COMFORT SEAT

ENGINE IS ISOLATED FROM PUMPS - EXCELLENT FOR COLD STARTS

EASY REAR ACCESS FOR ENGINE AND PUMP COMPONENTS

PISTON-STYLE 19 GPM AUX HYDRAULIC PUMPS

PREMIUM LARGE AND WIDE CAB FOR EASY ENTERING AND EXITING MACHINE

AUXILIARY HYDRAULICS FLOW CONTROL LEVER


GAUGES PLACED FOR CLEAR VIEW AND EASY ACCESS



Premium cab setup with fully operator adjustable comfort seat, all controls within easy reach with easy to enter and exit cab.



Controls are clustered for quick access and all operator and attachment controls are right at the operator's fingertips.



The powerful 40HP Vanguard engine powers all hydraulics and drive functions. Soft tires and rear pivot steering are easier on turf and terrain than tracks.



ATTACHMENTS INCLUDE: Grapples, Brush Cutter, Turf Pro Mower, Snow Blower, Sweeper, Tree Puller and Shear.

OFF-ROAD

BAD BOY BANDIT

The Bandit side-by-side is the ultimate off-road machine, designed for superior utility at work or play. Manufactured to live up to our legendary Bad Boy quality and durability standards, this UTV is made for those who demand maximum performance. The Bad Boy Bandit can handle the most rugged terrains and toughest jobs.



STANDARD FEATURES ON ALL MODELS

ELECTRONIC FUEL INJECTION

LIQUID COOLING

AUTOMATIC TRANSMISSION

CVT CLUTCH

4-WHEEL INDEPENDENT SUSPENSION

CARGO DUMP BED

HIGH/LOW BEAM HEADLIGHTS

4-WHEEL DRIVE

LOCKING DIFFERENTIAL

NITROGEN ASSISTED SHOCKS

AVAILABLE IN ORANGE OR CAMO

FRONT BUMPER AND WINCH INCLUDED

ROOF

WINDSHIELD

BRAKE LIGHTS

TURN SIGNALS AND HORN

DOORS

POWER STEERING (EPS)

LIGHTED INSTRUMENTATION



Two powerful engine options for each model. A 550 or 750 for two-seaters and 750 for our four-seater model.



Comfortable seating, and independent suspension with nitrogen assisted shocks and hydraulic disc brakes makes for smooth operation.



From cargo dump bed, front bumper and winch, doors, front windshield, side mirrors and more, the Bandit is anything but standard.



TWO-SEATER MODELS

550CC AND 750CC GASOLINE ENGINES

FOUR-SEATER MODELS

750CC GASOLINE ENGINE

GAS-POWERED HAND TOOLS

BAD BOY TOOLS



No flimsy construction on these Bad Boys. Built for the toughest jobs and for all-day, all-season long performance.

From our trimmers to our cutting tools, we bring more power to bear on your work and it's where we out-class other hand-held power tools.

You're carrying your reputation with you on each and every job. Make sure you take a Bad Boy along to tackle the work.

Our commercial-grade, gas-powered Bad Boy Hand Tools are perfect for landscaping professionals and homeowners alike. With powerful engines and innovative technology, these tools excel at efficiently tackling tough jobs. Their lightweight and ergonomic design not only enhances user comfort but also promotes longer usage periods without fatigue. Advanced features like anti-vibration technology and durable construction contribute to reduced maintenance needs and prolonged lifespan, making them a reliable investment for long-term use.



**ST225
STRING
TRIMMER**

**ST254
STRING
TRIMMER**

**ST300T
TURBO
STRING
TRIMMER**

**ED254
EDGER**



**HB450
HAND-HELD
BLOWER**

NEW PRESSURE WASHERS



**HT225-24
24" HEDGE
TRIMMER**



**CS300-14
14" CHAINSAW**



**BB880
BACKPACK
BLOWER**



**BB1060
BACKPACK
BLOWER**



BATTERY-POWERED HAND TOOLS

BAD BOY E SERIES



Our line of electric products pack a powerful 80-Volt punch, from mowers to blowers, trimmers to chainsaws.

Power that pulls you through the toughest tasks. Smart battery technology delivers just the right power for long-lasting use.

With our series of attachments that fit our string trimmer, you can get even more work from the power of the Bad Boy E-Series.

80V
LITHIUM
PRO-POWER

PRO-PERFORMANCE 80V POWER

One battery, packed with more power, powering more attitude. Our line-up of 80 volt battery-powered hand tools are the perfect compliment to the power, performance and attitude of our zero-turn mowers. Each tool features advanced brushless motor technology, delivering major torque, power and life-with virtually no maintenance required. Our universal battery system works across all of our high-efficiency tools with innovative smart technology.

NEW CORDED ELECTRIC PRESSURE WASHER



ATTACHMENTS FOR STRING TRIMMER



16" STRING
TRIMMER



170 MPH
HAND-HELD
BLOWER



18" CHAINSAW



HEDGE TRIMMER



SNOW THROWER



10" BAR
POLE SAW



21" SELF-PROPELLED MOWER



INVERTER



WORKLIGHT



DUAL BATTERY
CAPABLE
BACKPACK BLOWER



BLOWER



TRIM SAW



EDGER




HEDGE TRIMMER



MOWER SPECIFICATIONS

RENEGADE DIESEL ENGINE OPTIONS

 Perkins 61" 1100cc, 24.7hp

DIMENSIONS


Cutting Widths 61"/61"
 Weight 61"/1862 lbs.
 Overall Height/Length 51"/ 91"
 Chute Up/Down Width 61"/63.5"/75.5"

FEATURES

Suspension Patented 3-Link Rear Trailing Arm Suspension with Patented Front Independent Suspension
 Transmission Hydro-Gear® 16cc Pump; Parker® 18ci Wheel Motors
 Deck Thickness 1/4" or 3-Gauge Thick Solid Steel
 Cutting Height 2"– 6"
 Lift and Height Adjust Foot-Assist Manual Lift with Dial-Style Height Adjustment
 Rear Tires/Front Tires 26x12-12 Reaper® /15x6-6 Smooth No Flat Front
 Fuel 13 Gallons, Diesel
 Ground Speed (forward) Up to 13 mph



RENEGADE ENGINE OPTIONS

 rehlko 61"/72" 999cc, 38.5hp ECH 980-EFI

DIMENSIONS

Cutting Widths 61"/61"; 72"/72"
 Weight 61"/1628 lbs.; 72"/1693 lbs.
 Overall Height/Length 51"/ 91"
 Chute Up/Down Width 61"/63.5"/75.5"; 72"/74.5"/86.5"

FEATURES

Suspension Patented 3-Link Rear Trailing Arm Suspension with Patented Front Independent Suspension
 Transmission Hydro-Gear® 16cc Pump; Parker® 18ci Wheel Motors
 Deck Thickness 1/4" or 3-Gauge Thick Solid Steel
 Cutting Height 2"– 6"
 Lift and Height Adjust Foot-Assist Manual Lift with Dial-Style Height Adjustment
 Rear Tires/Front Tires 26x12-12 Reaper® /15x6-6 Smooth No Flat Front
 Fuel 13 Gallons, Unleaded Gasoline
 Ground Speed (forward) Up to 13 mph



ROGUE ENGINE OPTIONS

 Kawasaki 54"/61"/72" 999cc, 35hp FX1000

 Kawasaki 61"/72" 999cc, 38.5hp FX1000 EFI

 Kawasaki 61"/72" 999cc, 38.5hp FX1000 EFI REAR DISCHARGE

 rehlko 61"/72" 999cc, 38.5hp ECV980 EFI

 Vanguard 61"/72" 993cc, 40hp 40 EFI


DIMENSIONS

Cutting Widths 54"/54"; 61"/61"; 72"/72"
 Weight 54"/1485 lbs.; 61"/1538 lbs.; 72"/1595 lbs.
 Overall Height/Length 53"/ 92"
 Chute Up/Down Width 54"/56.5"/68.5"; 61"/63.5"/75.5"; 72"/74.5"/86.5"



REBEL X

 Kawasaki 61"/72" 999cc, 38.5hp FX1000 EFI

 Vanguard 61"/72" 993cc, 40hp

DIMENSIONS

Cutting Widths 61"/61"; 72"/72"
 Weight 61"/1494 lbs.; 72"/1531 lbs.
 Overall Height/Length 50"/ 92"
 Chute Up/Down Width 61"/63.5"/75.5"; 72"/74.5"/86.5"

FEATURES

Transmission 5400 Hydro-Gear® 16cc Integrated Transaxle
 Deck Thickness 1/4" or 3-Gauge Thick Solid Steel
 Cutting Height 1"– 5" with Deck Height Control System
 Lift and Height Adjust Foot-Assist Manual Lift with Dial-Style Height Adjustment
 Rear Tires/Front Tires 24x12-12 Michelin Tweel® /13x6.5-6 Smooth No Flat Front/Optional Reaper® Rear Tires
 Fuel 13 Gallons, Unleaded Gasoline
 Ground Speed (forward) Up to 12 mph




REBEL

 Kawasaki 54"/61" 852cc, 27hp FX850

 Kawasaki 61"/72" 999cc, 35hp FX1000

 Kawasaki 61"/72" 822cc, 34hp EVO820 EFI

 Kawasaki 54" 822cc, 31hp EVO781 EFI

DIMENSIONS

Cutting Widths 54"/54"; 61"/61"; 72"/72"
 Weight 54"/1257 lbs.; 61"/1382 lbs.; 72"/1419 lbs.
 Overall Height/Length 50"/ 92"
 Chute Up/Down Width 54"/56.5"/68.5"; 61"/63.5"/75.5"; 72"/74.5"/86.5"

FEATURES

Transmission 4400 Hydro-Gear® 16cc Integrated Transaxle
 Deck Thickness 1/4" or 3-Gauge Thick Solid Steel
 Cutting Height 1"– 5" with Deck Height Control System
 Lift and Height Adjust Foot-Assist Manual Lift with Dial-Style Height Adjustment
 Rear Tires/Front Tires 24x12-12 Reaper® /13x6.5-6 Smooth No Flat Front
 Fuel 13 Gallons, Unleaded Gasoline
 Ground Speed (forward) Up to 12 mph



FEATURES

Suspension Patented 3-Link Rear Trailing Arm Suspension with patented Front Independent suspension
 Transmission Hydro-Gear® 16cc Pump; Parker® 18ci Wheel Motors
 Deck Thickness 1/4" or 3-Gauge Thick Solid Steel
 Cutting Height 2"– 6"
 Lift and Height Adjust Foot-Assist Manual Lift with Dial-Style Height Adjustment
 Rear Tires/Front Tires 26x12-12 Reaper® /15x6-6 Smooth No Flat Front
 Fuel 13 Gallons, Unleaded Gasoline
 Ground Speed (forward) Up to 13 mph

REBEL SD



ENGINE OPTIONS

54"/61" 747cc, 25hp ZT740

DIMENSIONS

Cutting Widths 54"/54"; 61"/61"

Weight 54"/1257 lbs.; 61"/1382 lbs.

Overall Height/Length 50"/ 92"

Chute Up/Down Width 54"/56.5"/68.5"; 61"/63.5"/75.5"

FEATURES

Transmission 4400 Hydro-Gear® 16cc Integrated Transaxle

Deck Thickness 1/4" or 3-Gauge Thick Solid Steel

Cutting Height 1"– 5" with Deck Height Control System

Lift and Height Adjust Foot-Assist Manual Lift with Dial-Style Height Adjustment

Rear Tires/Front Tires 24x12-12 Reaper® /13x6.5-6 Smooth

Fuel 13 Gallons, Unleaded Gasoline

Ground Speed (forward) Up to 12 mph



REVOLT X STAND-ON

ENGINE OPTIONS



54" 822cc, 31hp EVO781 EFI



61"/72" 999cc, 38.5hp FX1000 EFI



61"/72" 993CC 40hp Vanguard EFI

DIMENSIONS

Cutting Widths 54"/54"; 61"/61"; 72"/72"

Weight 54"/1199 lbs.; 61"/1250 lbs.; 72"/1318 lbs.

Overall Height/Length 54"/ 45.5"/70" 61"/ 45.5"/71.75" 72" 45.5"/72.5"

Chute Up/Down Width 54"/56.5"/68.5"; 61"/63.1875"/75.5"; 72"/73.75"/85.875"

FEATURES

Transmission Dual Hydro-Gear® 16cc Pump; Dual Hydro-Gear® 18ci Wheel Motors

Deck Thickness 3/16" or 7-Gauge Thick Solid Steel

Cutting Height 2"– 5" with Deck Height Control System

Lift and Height Adjust Manual Lift

Rear Tire Options Michelin Tweels®/ Optional Reaper® Rear Tires

Rear Tires/Front Tires 24x12-12 Reaper® /13x6.5-6 Smooth No Flat

Fuel 13 Gallons, Unleaded Gasoline

Ground Speed (forward) Up to 13 mph



REVOLT STAND-ON

ENGINE OPTIONS



54"/61" 852cc, 27hp FX850



48" 726cc, 23.5hp FX730



36" 726cc, 22hp FX691



54"/61" 822cc, 31hp EVO781 EFI



54"/61" 810cc, 28hp 28 EFI

DIMENSIONS

Cutting Widths 36"/36"; 48"/48"; 54"/54"; 61"/61"

Weight 36"/805 lbs.; 48"/930 lbs.; 54"/980 lbs.; 61"/1040 lbs.

Overall Height/Length 48"/63"

Chute Up/Down Width 36"/38.5"/50.5"; 48"/50.5"/62.5"

54"/56.5"/68.5"; 61"/63.5"/75.5"

FEATURES

Transmission 36"/ 3100 Hydro-Gear® 10cc Integrated Transaxle

48"/54"/61" 3400 Hydro-Gear® 12cc Integrated Transaxle

Deck Thickness 3/16" or 7-Gauge Thick Solid Steel

Cutting Height 2"– 5" with Deck Height Control System

Lift and Height Adjust Manual Lift

Rear Tires/Front Tires 36" 21x7-10 Reaper® /13x6.5-6 Smooth No Flat

48"/54" 23x9-12 Reaper® /13x6.5-6 Smooth No Flat

61" 23x11-12 Reaper® /13x6.5-6 Smooth No Flat

Fuel 8 Gallons, Unleaded Gasoline (36" model has 5 Gallon tank)

Ground Speed (forward) Up to 9 mph



REVOLT SD STAND-ON ENGINE OPTIONS



34"/42" 603cc, 18.5hp FS600



34" 747cc, 22hp KT722

DIMENSIONS

Cutting Widths 34"/34"; 42"/42"

Weight 34"/722 lbs.; 42"/733 lbs.

Overall Height/Length 47"/63.75"

Chute Up/Down Width 34"/38.5"/50.5"; 42"/50.5"/62.5"

FEATURES

Transmission 34"/42" 2800 Hydro-Gear® 10cc Integrated Transaxle

Deck Thickness 3/16" or 7-Gauge Thick Solid Steel

Cutting Height 1.5"– 4.5" with Deck Height Control System

Lift and Height Adjust Manual Lift

Rear Tires/Front Tires 34"/42" 21x7-10 Reaper® /13x6.5-6 Smooth

Fuel 5 Gallons, Unleaded Gasoline

Ground Speed (forward) Up to 9 mph



MOWER SPECIFICATIONS

MAVERICK HD

ENGINE OPTIONS

■ ← Kawasaki

42"/48" 726cc, 22hp FX691

■ ← Kawasaki

54"/60" 726cc, 23.5hp FX730

POWERED BY
VANGUARD
CORPORATOR ENGINEERING SOLUTIONS

54"/60" 810cc, 28hp 28 EFI

DIMENSIONS

Cutting Widths 42"/42"; 48"/48"; 54"/54"; 60"/60"

Weight 42"/1062 lbs.; 48"/1073 lbs.; 54"/1110 lbs.; 60"/1137 lbs.

Overall Height/Length 49"/80"

Chute Up/Down Width 42"/47"/56"; 48"/54"/61"; 54"/58"/67"; 60"/64"/73"

FEATURES

E-Z Ride Suspension* Patented compression rear suspension with Independent front suspension rails

Transmission 3400 Hydro-Gear® 12cc Integrated Transaxle

Deck Thickness 3/16" or 7-Gauge Thick Solid Steel

Cutting Height 1.5"– 4.5" with Deck Height Control System

Lift and Height Adjust Foot-Assist Manual Lift with Dial-Style Height Adjustment

Rear Tires/Front Tires 42"/48"/23x9-12 Reaper® /13x6.5-6 Smooth No Flat Front
54"/60"/23x11-12 Reaper® /13x6.5-6 Smooth No Flat Front

Fuel 13 Gallons, Unleaded Gasoline

Ground Speed (forward) Up to 9 mph



MAVERICK

ENGINE OPTIONS

■ ← Kawasaki

48"/54"/60" 726cc, 24hp FS730

→ rehiko

48"/54"/60" 747cc, 25hp Confidant ZT740

DIMENSIONS

Cutting Widths 48"/48"; 54"/54"; 60"/60"

Weight 48"/957 lbs.; 54"/1005 lbs.; 60"/1031 lbs.

Overall Height/Length 47"/80"

Chute Up/Down Width 48"/54"/61"; 54"/58"/67"; 60"/64"/73"

FEATURES

E-Z Ride Suspension* Patented compression rear suspension with Independent front suspension rails

Transmission 3200 Hydro-Gear® 10cc Integrated Transaxle

Deck Thickness 3/16" or 7-Gauge Thick Solid Steel

Cutting Height 1.5"– 4.5" with Deck Height Control System

Lift and Height Adjust Foot-Assist Manual Lift with Dial-Style Height Adjustment

Rear Tires/Front Tires 48"/23x9-12 Reaper® / 13x6.5-6 Smooth
54"/60"/23x11-12 Reaper® / 13x6.5-6 Smooth

Fuel 6.5 Gallons, Unleaded Gasoline

Ground Speed (forward) Up to 9 mph



RAIDER

ENGINE OPTIONS

■ ← Kawasaki

36"/48"/54" 603cc, 18.5hp FS600

DIMENSIONS

Cutting Widths 36"/36"; 48"/48"; 54"/54"

Weight 36"/652 lbs.; 48"/746 lbs.; 54"/791 lbs.

Overall Height/Length 48"/63"

Chute Up/Down Width 36"/38.5"/50.5"; 48"/50.5"/62.5"; 54"/56.5"/68.5"

FEATURES

Transmission 3100 Hydro-Gear® 12cc Integrated Transaxle

Deck Thickness 3/16" or 7-Gauge Thick Solid Steel

Cutting Height 1"– 5"

Lift and Height Adjust Manual Lift

Rear Tires/Front Tires 36"/21x7-10 Turf /11x6-5 Smooth
48"/54" 21x8.5-10 Turf /11x6-5 Smooth

Fuel 5 Gallons, Unleaded Gasoline

Ground Speed (forward) Up to 6 mph



ZT ELITE

ENGINE OPTIONS

→ rehiko

48"/54"/60" 747cc, 26hp KT726

■ ← Kawasaki

48"/54"/60" 726cc, 24hp FR730

DIMENSIONS

Cutting Widths 48"/48"; 54"/54"; 60"/60"

Weight 48"/812 lbs.; 54"/839 lbs.; 60"/865 lbs.

Overall Height/Length 46"/74.5"

Chute Up/Down Width 48"/54"/61"; 54"/58"/67"; 60"/64"/73"

FEATURES

E-Z Ride Suspension* Patented Independent front suspension rails

Transmission 3100 Hydro-Gear® 10cc Integrated Transaxle

Deck Thickness 3/16" or 7-Gauge Thick Solid Steel

Cutting Height 1.5"– 4.5" with Deck Height Control System

Lift and Height Adjust Foot-Assist Manual Lift with Dial-Style Height Adjustment

Rear Tires/Front Tires 48"/22x10-10 Reaper® / 13x6.5-6 Smooth
54"/60"/22x11-10 Reaper® / 13x6.5-6 Smooth

Fuel 6.5 Gallons, Unleaded Gasoline

Ground Speed (forward) Up to 7 mph



ZT AVENGER



ENGINE OPTIONS

54"/60" 747cc, 26hp KT726



54"/60" 726cc, 23hp FR691

DIMENSIONS

Cutting Widths 54"/54"; 60"/60"

Weight 54"/746 lbs.; 60"/763 lbs.

Overall Height/Length 46"/74.5"

Chute Up/Down Width 54"/58"/67"; 60"/64"/73"

FEATURES

Transmission 2800 Hydro-Gear® 10cc Integrated Transaxle

Deck Thickness 3/16" or 7-Gauge Thick Solid Steel

Cutting Height 1.5" - 4.5" with Deck Height Control System

Lift and Height Adjust Foot-Assist Manual Lift with Dial-Style Height Adjustment

Rear Tires/Front Tires 20x10-8 Reaper® / 12x6-6 Smooth

Fuel 6.5 Gallons, Unleaded Gasoline

Ground Speed (forward) Up to 7 mph



MZ MAGNUM



ENGINE OPTIONS

48"/54"/60" 726cc, 21.5hp FR651



54"/60" 747cc, 24hp KT724

DIMENSIONS

Cutting Widths 48"/48"; 54"/54"; 60"/60"

Weight 48"/659 lbs.; 54"/687 lbs.; 60"/715 lbs.

Overall Height/Length 42"/76"

Chute Up/Down Width 48"/54"/61"; 54"/58"/67"; 60"/64"/73"

FEATURES

Transmission Dual Hydro-Gear® EZT 2200 Drive Systems

Deck Thickness 3/16" or 7-Gauge Thick Solid Steel

Cutting Height 1.5" - 4.5" Deck Height Control System

Lift and Height Adjust Foot-Assist Manual Lift with Dial-Style Height Adjustment

Rear Tires/Front Tires 18x9.5-8 Reaper® / 11x6-5 Smooth

Fuel 6 Gallons, Unleaded Gasoline

Ground Speed (forward) Up to 6 mph



MZ RAMBLER



ENGINE OPTIONS

42" 540cc, 19hp EX1900



42" 747cc, 22hp KT722



42" 726cc, 21.5hp FR651

DIMENSIONS

Cutting Widths 42"/42"

Weight 42"/632 lbs

Overall Height/Length 42"/76" Chute Up/Down Width 47"/56"

FEATURES

Transmission Dual Hydro-Gear® EZT 2200 Drive Systems

Deck Thickness Sloped 3/16" or 7-Gauge Thick Solid Steel

Cutting Height 1.5" - 4.5" with Deck Height Control System

Lift and Height Adjust Foot-Assist Manual Lift with Dial-Style Height Adjustment

Rear Tires/Front Tires 18x8.5-8 Reaper® / 11x4-5 Smooth

Fuel 6 Gallons, Unleaded Gasoline

Ground Speed (forward) Up to 6 mph



ENGINE OPTIONS

80v Electric

DIMENSIONS

Cutting Widths 42"/42"

Weight 42"/588 lbs

Overall Height/Length 48"/65"

Chute Up/Down Width 48"/57"

FEATURES

Battery Capacity Battery compartment capacity is 6 80v, 8.0ah batteries (4 80v, 8.0ah batteries included)

Deck Thickness 1/8" or 11-Gauge Thick Solid Steel

Cutting Height 1.5" - 4.5" with Deck Height Control System

Lift and Height Adjust Foot-Assist Manual Lift with Dial-Style Height Adjustment

Rear Tires/Front Tires 20x10-8 Reaper® / 11x4-5 Smooth

Ground Speed (forward) Low - 3 mph, Med - 5 mph, High - 7 mph



PUSH MOWERS



ENGINE OPTIONS

21"/25" 179cc FJ180

DIMENSIONS

Cutting Widths 21"/21"; 25"/25"

Overall Height/Length 21"/39"/62"; 25"/39"/67"

Overall Width 21"/21"; 25"/25"

FEATURES

Transmission Two-Speed


Deck Thickness 14 Gauge Thick Solid Steel

Cutting Height 1" - 4.5" Height Control System

Lift and Height Adjust Lever-Action Manual

Rear Tires/Front Tires 9" Non-Pneumatic


Fuel 0.5 Gallons, Unleaded Gasoline



Check Out All Of Your Financing Options Online Or See Your Dealer For More Details

CHOOSE WHAT'S RIGHT FOR YOU.

We're here to help you get into the driver's seat. We've partnered with some of the industry's most respectable financial institutions to bring you the best money saving options.





BAD BOY



MOW WITH AN *Attitude*

www.badboycountry.com
102 Industrial Drive • Batesville, AR 72501 • 866-622-3269

2026

